



www.sande.cl

SANDE S.A.



 600 600 0900

VICTORY 500VS

FRESADORA UNIVERSAL TIPO CARNERO



Sterk best O.E.M. for machines



The above picture may not be
an exact representation of the product



MADE IN UK

Especificaciones técnicas sujetas a alteraciones sin previo aviso.





SANDE S.A.



Specifications:

Table size	2000 x 500mm
Number of T slots	5
T slot size	18mm
T slot centres	80mm
Longitudinal travel	1400mm
Cross travel	700mm
Vertical Travel	500mm
Load Capacity	1800kg
Spindle (Vertical)	
Spindle Taper	ISO50
Number of Speeds	27
Speed Range	30-2050rpm
Spindle Centre to Column	45-475mm
Spindle to Table	50-550mm
Milling and Drilling Capacity in Steel (S235JR) - Vertical	
End Milling Capacity	100-5mm
Vertical Milling Capacity	20-10mm
Number of Feeds	Variable
Longitudinal	10-1000mm/min
Cross	10-1000mm/min
Vertical	5-500mm/min
Rapids Longitudinal	2200mm/min
Rapid Cross	2200mm/min
Rapid Vertical	1100mm/min
Power	
Spindle Drive Motor	7.5kW (10hp)
Feed Motor	15/15/18Nm
Coolant Motor	0.09kW (0.12hp)
Overall Dimensions (L x W x D)	2625 x 2860 x 2080mm
Net Weight	4500kg





SANDE S.A.



Features:

- 3 Axis Power Feed Driven by 1 Servo Motor and Driver
- Large Table Area
- Compact Design
- Universal Head
- Horizontal Milling

Standard Accessories:

- 3 axis DRO system
- 3 axis power feed
- Work lamp
- Coolant system
- Table guard
- Manual & parts list
- Toolbox

ESTAS OPCIONES A PRECIO EXTRA , YA ESTAN INCLUIDAS :

Optional Accessories:

K150 swivel base vice

H500 Super Open Milling Vice

Clamp Kit

250mm Rotary Table

Dividing Plates

Reducing sleeve Set (ISO50 – MT1/2/3/4/5/R8)

Combination Shell End Mill Arbors (1", 22mm, 27mm)

