

DOOSAN



DNM

Vertical Machining Centers

Your ticket to quality and reliability.





**MACHINE
GREATNESS™**

A Better **Standard**

While most builders sell every single feature as a costly option, your DNM comes fully equipped with the following as standard:

- Easy Operation Package (EOP) for FANUC control
- Pre-wired for Renishaw tool setting probes
- Dual screw chip augers
- Through-spindle coolant
- Spindle chiller
- BIG-PLUS dual contact spindles
- Smooth Surface Software package





Incredible **Stability**

*About the **DNM's** impressive wide column:*

On top of all of those X-travel possibilities, the extra wide column on the DNM Series is robust enough to ensure you get the stability you need for those demanding orders.

S is for Speed

*For those who like **going fast.***

The DNM Series has high-speed models you can turn to. We're talking a 15,000 r/min spindle, up to 1,890 IPM rapid feedrates, 40 tool magazines, ball nut cooling and Smooth Surface Package (SSP), all standard on our DNM S models.



Something for **Everyone**

The **DNM Series** has every size covered.

The X-travel in the DNM Series starts at 20.5" and rockets all the way up to 85". They come standard with a 12,000 r/min spindle, and high-torque 8,000 r/min and high-speed 15,000 r/min spindles are options.

Regardless of your needs, your new DNM will fit in and get right to work.

Model		X Axis Travel	Taper	r/min	Max HP	# of Tools
DNM 4000		20.5"	BIG-PLUS CAT40	12,000 r/min	25 HP	20
DNM 4500	DNM 4500 8K (OP)	31.5"	BIG-PLUS CAT40	8,000 r/min	20 HP	30
	DNM 4500 12K	31.5"	BIG-PLUS CAT40	12,000 r/min	25 HP	30
	DNM 4500S	31.5"	BIG-PLUS CAT40	15,000 r/min	25 HP	40
DNM 5700	DNM 5700 8K (OP)	41.3"	BIG-PLUS CAT40	8,000 r/min	20 HP	30
	DNM 5700 12K	41.3"	BIG-PLUS CAT40	12,000 r/min	25 HP	30
	DNM 5700S	41.3"	BIG-PLUS CAT40	15,000 r/min	25 HP	40
DNM 6700	DNM 6700 8K (OP)	51.2"	BIG-PLUS CAT40	8,000 r/min	20 HP	30
	DNM 6700 12K	51.2"	BIG-PLUS CAT40	12,000 r/min	25 HP	30
	DNM 6700S	51.2"	BIG-PLUS CAT40	15,000 r/min	25 HP	40
DNM 750	DNM 750/50 II 8K (OP)	64.2"	BIG-PLUS CAT50	8,000 r/min	29.5 HP	30
	DNM 750/50 II 10K	64.2"	BIG-PLUS CAT50	10,000 r/min	35 HP	30
	DNM 750II	64.2"	BIG-PLUS CAT40	12,000 r/min	21 HP	30
	DNM 750L II	85.0"	BIG-PLUS CAT40	12,000 r/min	21 HP	30

Compact Footprint. Global Reach.

With an install base of over 30,000 machines all over the world, the DNM Series is a fully-featured staple of the Doosan product line. The remarkably wide range and compact footprint of these productive vertical machining centers guarantees one thing: You'll easily find the right DNM for your shop.



*Machine specifications for reference only. Final specifications
to be determined based on quote and model purchased.*

Doosan Machine Tools America

Learn more at **DOOSANMACHINETOOLS.COM**



DOOSAN